SPHEROID FORMATION PROMOTER

Patent Number:

JP10029951

Publication date:

1998-02-03

Inventor(s):

FUNATSU KAZUMORI; MATSUSHITA MIGAKU; IJIMA HIROYUKI; KUMAZAWA EITARO

Applicant(s)::

SNOW BRAND MILK PROD CO LTD; FUNATSU KAZUMORI

Requested Patent:

Application Number: JP19960202876 19960712

Priority Number(s):

IPC Classification:

A61K38/27; A61K38/27; A61K38/27

EC Classification:

Equivalents:

Abstract

PROBLEM TO BE SOLVED: To obtain both a hepatocyte steroid formation promoter and an artificial liver containing the promoter, comprising a hepatocyte growth factor and an epithelial cell growth factor. SOLUTION: This steroid formation promoter comprises a combination of TCF-II (tumor cell obstacle factor, TCF for short) as a hepatocyte growth factor and an epithelial cell growth factor (EGF for short). The ratio of use is 10-10,000 TCF and 0-50 EGF. Preferably, the promoter is made into a form such as solution. The prepared spheroid formation promoter is used to give a multicellular type polyurethane/spheroid packed layer artificial liver. TCF is a known protein derived from a human fibroblast and is obtained by concentrating a culture solution of a human fibroblast, adsorbing the solution on an ion exchanger and purifying or by a genetic enginnering method. A hepatocyte spheroid to become the base of an artificial liver is efficiently obtained in a short period.

Data supplied from the esp@cenet database - 12



Drawing JP10029951 Biblio





SPHEROID FORMATION PROMOTER



JP10029951 Publication date: 1998-02-03




FUNATSU KAZUMORI;; MATSUSHITA MIGAKU;; IJIMA HIROYUKI;;





SNOW BRAND MILK PROD CO LTD;; FUNATSU KAZUMORI



Patent Number:



Application

Inventor(s):

Applicant(s):

Number:

JP19960202876 19960712



Priority Number

IPC Classification: A61K38/27; A61K38/27; A61K38/27



EC Classification:

Equivalents:



Abstract

PROBLEM TO BE SOLVED: To obtain both a hepatocyte steroid formation promoter and an artificial liver containing the promoter, comprising a hepatocyte growth factor and an epithelial cell growth factor.

SOLUTION: This steroid formation promoter comprises a combination of TCF-II (tumor cell obstacle factor, TCF for short) as a hepatocyte growth factor and an epithelial cell growth factor (EGF for short). The ratio of use is 10-10,000 TCF and 0-50 EGF. Preferably, the promoter is made into a form such as solution. The prepared spheroid formation promoter is used to give a multicellular type polyurethane/spheroid packed layer artificial liver. TCF is a known protein derived from a human fibroblast and is obtained by concentrating a culture solution of a human fibroblast, adsorbing the solution on an ion exchanger and purifying or by a genetic enginnering method. A hepatocyte spheroid to become the base of an artificial liver is efficiently obtained in a short period.

Data supplied from the esp@cenet database - 12

(19) 日本国特許庁 (J P) (12) 公開特許公報 (A)

(11)特許出願公開番号

特開平10-29951

(43)公開日 平成10年(1998)2月3日

(51) Int.Cl. ⁶ A 6 1 K 38/27	歳別記号 ACS ADD AED	庁 内整理番号	F I A 6 1 K 37/36		ACS ADD AED	技術表示箇所
			審査請求	未請求	請求項の数3	FD (全 7 頁)
(21)出願番号		(71)出顧人	人 000006699 雪印乳業株式会社 北海道札幌市東区苗穂町 6 丁目 1 番 1 号 人 596112837 船津 和守 福岡県春日市一の谷 6 丁目45			
(22)出願日 平成8年(1996)7月12日		312 8				
			(72)発明者		句守 静日市一の谷 6]	Г目45
			(72)発明者	松下		
			(74)代理人		藤野 清也	
						最終頁に続く

(54) 【発明の名称】 スフェロイド形成促進剤

(57)【要約】

【課題】 肝細胞スフェロイド形成促進剤及びそれを含 有する人工肝臓の提供。

【解決手段】 肝細胞増殖因子及び上皮細胞増殖因子よ りなるスフェロイド形成促進剤。該スフェロイド形成促 進剤を含有する人工肝臓。肝細胞増殖因子としては、T CF-IIが用いられる肝細胞スフェロイドの形成を、短 期間で効率的に促進し、効率的な人工肝臓を得ることが できる。